



Battery Terminals


Description

DX Battery Terminals manufactured with high quality C11000 ETP copper and are completely lead free and RoHS compliant. All Battery Terminals come with Nut and Bolt installed. Post Hole has 1:9 Taper. Crimp lines, size & die markings on barrel are ink marked in the appropriate color.

Features

- Environmentally Friendly – RoHS Compliant
- Lead Free – Exempt from CA Proposition 65
- 100% Copper Construction – C11000 ETP (Electrolytic Tough Pitch)
- Maximum Conductivity 101% IACS at 68°F
- Electro-Tin Plated for Corrosion Resistance (.0002" - .0003" plating)
- Exceeds SAE Standard J-1811


Straight Product Dimensions



Part Number	Gauge	Polarity	OAL	Barrel ID	Post ID	Color
SBT-4U	4	Universal	2.330"	0.265"	0.690"	Gray
SBT-2-1N	1-2	Negative	2.330"	0.354"	0.620"	Pink
SBT-2-1P	1-2	Positive	2.330"	0.354"	0.690"	Pink
SBT-10N	1/0	Negative	2.330"	0.433"	0.620"	Black
SBT-10P	1/0	Positive	2.330"	0.433"	0.690"	Black
SBT-20N	2/0	Negative	2.330"	0.461"	0.620"	Orange
SBT-20P	2/0	Positive	2.330"	0.461"	0.690"	Orange
SBT-30N	3/0	Negative	2.330"	0.551"	0.620"	Purple
SBT-30P	3/0	Positive	2.330"	0.551"	0.690"	Purple
SBT-40N	4/0	Negative	2.330"	0.630"	0.620"	Yellow
SBT-40P	4/0	Positive	2.330"	0.630"	0.690"	Yellow

Battery Terminals

Elbows



Pictured is a Left Elbow Terminal

Left Elbow Product Dimensions


Part Number	Gauge	Polarity	OAL	Width	Barrel ID	Post ID	Color
SBTL-10N	1/0	Negative	1.835"	1.358"	0.433"	0.620"	Black
SBTL-10P	1/0	Positive	1.860"	1.405"	0.433"	0.690"	Black
SBTL-20N	2/0	Negative	1.835"	1.358"	0.461"	0.620"	Orange
SBTL-20P	2/0	Positive	1.860"	1.405"	0.461"	0.690"	Orange
SBTL-30N	3/0	Negative	1.835"	1.358"	0.551"	0.620"	Purple
SBTL-30P	3/0	Positive	1.860"	1.405"	0.551"	0.690"	Purple
SBTL-40N	4/0	Negative	1.835"	1.358"	0.630"	0.620"	Yellow
SBTL-40P	4/0	Positive	1.860"	1.405"	0.630"	0.690"	Yellow

Right Elbow Product Dimensions

Part Number	Gauge	Polarity	OAL	Width	Barrel ID	Post ID	Color
SBTR-10N	1/0	Negative	1.835"	1.358"	0.433"	0.620"	Black
SBTR-10P	1/0	Positive	1.860"	1.405"	0.433"	0.690"	Black
SBTR-20N	2/0	Negative	1.835"	1.358"	0.461"	0.620"	Orange
SBTR-20P	2/0	Positive	1.860"	1.405"	0.461"	0.690"	Orange
SBTR-30N	3/0	Negative	1.835"	1.358"	0.551"	0.620"	Purple
SBTR-30P	3/0	Positive	1.860"	1.405"	0.551"	0.690"	Purple
SBTR-40N	4/0	Negative	1.835"	1.358"	0.630"	0.620"	Yellow
SBTR-40P	4/0	Positive	1.860"	1.405"	0.630"	0.690"	Yellow

Battery Terminals

Flag Product Dimensions



Part Number	Gauge	Polarity	OAL	Width	Barrel ID	Post ID	Color
SBTF-10N	1/0	Negative	2.362"	1.890"	0.433"	0.620"	Black
SBTF-10P	1/0	Positive	2.362"	1.890"	0.433"	0.690"	Black
SBTF-20N	2/0	Negative	2.362"	1.960"	0.461"	0.620"	Orange
SBTF-20P	2/0	Positive	2.362"	1.960"	0.461"	0.690"	Orange
SBTF-30N	3/0	Negative	2.362"	2.000"	0.551"	0.620"	Purple
SBTF-30P	3/0	Positive	2.362"	2.000"	0.551"	0.690"	Purple
SBTF-40N	4/0	Negative	2.362"	2.070"	0.630"	0.620"	Yellow
SBTF-40P	4/0	Positive	2.362"	2.070"	0.630"	0.690"	Yellow